ELSEVIER

Journal of Organometallic Chemistry 504 (1995) 153

Journal of Organometallic Chemistry

Author Index of Volume 504

Arndtsen, B.A., 143

Basickes, N., 69
Benson, M.T., 1
Bercaw, J.E., 75
Bergman, R.G., 143
Beringhelli, T., 15
Bianchini, C., 27
Brough, S.-A., 33

Carlucci, L., 15
Carmona, E., 147
Chatani, N., 151
Ciani, G., 15
Crabtree, R.H., 57
Cundari, T.R., 1

D'Alfonso, G., 15
Del Rossi, K.J., 47
Drolet, D.P., 107

Fowley, L.A., 57
Fujiwara, Y., 137

Goldman, A.S., 115

Hall, C., 33
Horie, S., 137
Hutson, A.C., 69

Jiménez, M.V., 27

Kakiuchi, F., 151

Labinger, J.A., 75
Lee, Jr., J.C., 57
Lees, A.J., 107
Lin, M., 69
Luinstra, G.A., 75

McCamley, A., 33
Meli, A., 27
Moneti, S., 27
Moody, E.W., 1
Morokuma, K., 93
Murai, S., 151
Musaev, D.G., 93

Paneque, M., 147
Perutz, R.N., 33
Poveda, M.L., 147
Proserpio, D.M., 15
Purwoko, A.A., 107

Rey, L., 147
Rosini, G.P., 115
Ruiz, C., 147

Schröder, D., 123
Schwarz, H., 123
Sen, A., 69
Siegbahn, P.E.M., 57
Sonoda, M., 151
Stahl, S., 33
Stahl, S.S., 75

Taboada, S., 147
Takaki, K., 137
Taniguchi, Y., 137

Vizza, F., 27

Wang, L., 75
Wayland, B.B., 47
Wecker, U., 33
Werner, H., 33

Zhang, X.-X., 47
Zhu, K., 115

ELSEVIER

Journal of Organometallic Chemistry 504 (1995) 155–157

Journal of Organometallic Chemistry

Subject Index of Volume 504

Ab-initio
Formation of organometallic exciplexes of the type [Hg(η^2-arene)] in mercury photosensitized reactions of aromatic compounds (L.A. Fowley, J.C. Lee, Jr., R.H. Crabtree and P.E.M. Siegbahn), 57
Methane activation by tris(imido) complexes: the effect of metal, ligand and d orbital occupation (M.T. Benson, T.R. Cundari and E.W. Moody), 1
Ab initio calculations
Ab initio molecular orbital study of oxidative addition of H_2 and CH_4 to the $RhCl(CO)(PH_3)_2$ complex (D.G. Musaev and K. Morokuma), 93
Acetophenone
Directing effect of functional groups in ruthenium-catalyzed addition of substituted acetophenones to an olefin (M. Sonoda, F. Kakiuchi, N. Chatani and S. Murai), 151
Alkane
A novel aminomethylation reaction of gaseous alkanes with tert-methylamine *N*-oxides via C–H bond activation by copper(II) salts (Y. Taniguchi, S. Horie, K. Takaki and Y. Fujiwara), 137
Alkane activation
On the mechanism and regioselectivity of alkane photocarbonylation catalyzed by $Rh(PMe_3)_2(CO)Cl$ (G.P. Rosini, K. Zhu and A.S. Goldman), 115
Amine *N*-oxide
A novel aminomethylation reaction of gaseous alkanes with tert-methylamine *N*-oxides via C–H bond activation by copper(II) salts (Y. Taniguchi, S. Horie, K. Takaki and Y. Fujiwara), 137
Aminomethylation
A novel aminomethylation reaction of gaseous alkanes with tert-methylamine *N*-oxides via C–H bond activation by copper(II) salts (Y. Taniguchi, S. Horie, K. Takaki and Y. Fujiwara), 137
Arene
Photochemistry of Os(η^6-arene) complexes in low-temperature matrices: an infrared spectroscopic study of C–H bond activation (S.-A. Brough, C. Hall, A. McCamley, R.N. Perutz, S. Stahl, U. Wecker and H. Werner), 33

Bond activation
Methane activation by tris(imido) complexes: the effect of metal, ligand and d orbital occupation (M.T. Benson, T.R. Cundari and E.W. Moody), 1
Bond energies
Ligand effects as probes for mechanistic aspects of remote C–H bond activation by Iron(I) cations in the gas phase (D. Schröder and H. Schwarz), 123

Carbon–hydrogen bond cleavage
Directing effect of functional groups in ruthenium-catalyzed addition of substituted acetophenones to an olefin (M. Sonoda, F. Kakiuchi, N. Chatani and S. Murai), 151
Carbonylation
On the mechanism and regioselectivity of alkane photocarbonylation catalyzed by $Rh(PMe_3)_2(CO)Cl$ (G.P. Rosini, K. Zhu and A.S. Goldman), 115
Catalysis
Methane activation by tris(imido) complexes: the effect of metal, ligand and d orbital occupation (M.T. Benson, T.R. Cundari and E.W. Moody), 1
Catalytic C–H/olefin coupling
Directing effect of functional groups in ruthenium-catalyzed addition of substituted acetophenones to an olefin (M. Sonoda, F. Kakiuchi, N. Chatani and S. Murai), 151
C–C bond formation
A novel aminomethylation reaction of gaseous alkanes with tert-methylamine *N*-oxides via C–H bond activation by copper(II) salts (Y. Taniguchi, S. Horie, K. Takaki and Y. Fujiwara), 137
C–H activation
C–H activation by aqueous platinum complexes: A mechanistic study (G.A. Luinstra, L. Wang, S.S. Stahl, J.A. Labinger and J.E. Bercaw), 75
C–H bond activation in functionalized organic compounds with $Cp^*(PMe_3)IrMe(OTf)$: generation, structural characterization and metal-based rearrangement of the acetone activation product $Cp^*(PMe_3)Ir(\eta^3\text{-}CH_2C(OH)CH_2)^+OTf^-$ (B.A. Arndtsen and R.G. Bergman), 143
C–H bond activation of thiophenes at iridium: a lower energy process than C–S bond scission (C. Bianchini, M.V. Jiménez, A. Meli, S. Moneti and F. Vizza), 27
Mechanistic aspects of the oxidative functionalization of ethane and ethanol by platinum(II) salts in aqueous medium. Role of platinum(II)–olefin and platinum(IV)–alkyl intermediates (A.C. Hutson, M. Lin, N. Basickes and A. Sen), 69
Reactions of C–H bonds in organic oxygenates with octaethylporphyrinato rhodium(II) and iridium(II) dimers (K.J. Del Rossi, X.-X. Zhang and B.B. Wayland), 47
C–H bond activation
A novel aminomethylation reaction of gaseous alkanes with tert-methylamine *N*-oxides via C–H bond activation by copper(II) salts (Y. Taniguchi, S. Horie, K. Takaki and Y. Fujiwara), 137
Ligand effects as probes for mechanistic aspects of remote C–H bond activation by Iron(I) cations in the gas phase (D. Schröder and H. Schwarz), 123
Photophysical aspects of C–H bond activation in rhodium dicarbonyl complexes (A.A. Purwoko, D.P. Drolet and A.J. Lees), 107
Copper acetate
A novel aminomethylation reaction of gaseous alkanes with tert-methylamine *N*-oxides via C–H bond activation by copper(II) salts (Y. Taniguchi, S. Horie, K. Takaki and Y. Fujiwara), 137

Ethane
Mechanistic aspects of the oxidative functionalization of ethane and ethanol by platinum(II) salts in aqueous medium. Role of plat-

inum(II)–olefin and platinum(IV)–alkyl intermediates (A.C. Hutson, M. Lin, N. Basickes and A. Sen), 69

Ethanol
Mechanistic aspects of the oxidative functionalization of ethane and ethanol by platinum(II) salts in aqueous medium. Role of platinum(II)–olefin and platinum(IV)–alkyl intermediates (A.C. Hutson, M. Lin, N. Basickes and A. Sen), 69

Ethylene
Mechanistic aspects of the oxidative functionalization of ethane and ethanol by platinum(II) salts in aqueous medium. Role of platinum(II)–olefin and platinum(IV)–alkyl intermediates (A.C. Hutson, M. Lin, N. Basickes and A. Sen), 69

Exciplexes
Formation of organometallic exciplexes of the type [Hg(η^2-arene)] in mercury photosensitized reactions of aromatic compounds (L.A. Fowley, J.C. Lee, Jr., R.H. Crabtree and P.E.M. Siegbahn), 57

Hydrodesulfurization
C–H bond activation of thiophenes at iridium: a lower energy process than C–S bond scission (C. Bianchini, M.V. Jiménez, A. Meli, S. Moneti and F. Vizza), 27

Imidos
Methane activation by tris(imido) complexes: the effect of metal, ligand and d orbital occupation (M.T. Benson, T.R. Cundari and E.W. Moody), 1

Infrared spectroscopy
Photochemistry of Os(η^6-arene) complexes in low-temperature matrices: an infrared spectroscopic study of C–H bond activation (S.-A. Brough, C. Hall, A. McCamley, R.N. Perutz, S. Stahl, U. Wecker and H. Werner), 33

Iridium
C–H bond activation in functionalized organic compounds with $Cp^*(PMe_3)IrMe(OTf)$: generation, structural characterization and metal-based rearrangement of the acetone activation product $Cp^*(PMe_3)Ir(\eta^3\text{-}CH_2C(OH)CH_2)^+OTf^-$ (B.A. Arndtsen and R.G. Bergman), 143
C–H bond activation of thiophenes at iridium: a lower energy process than C–S bond scission (C. Bianchini, M.V. Jiménez, A. Meli, S. Moneti and F. Vizza), 27
Reactions of C–H bonds in organic oxygenates with octaethylporphyrinato rhodium(II) and iridium(II) dimers (K.J. Del Rossi, X.-X. Zhang and B.B. Wayland), 47

Iron
Ligand effects as probes for mechanistic aspects of remote C–H bond activation by Iron(I) cations in the gas phase (D. Schröder and H. Schwarz), 123

Ligand effects
Ligand effects as probes for mechanistic aspects of remote C–H bond activation by Iron(I) cations in the gas phase (D. Schröder and H. Schwarz), 123

Mass spectrometry
Ligand effects as probes for mechanistic aspects of remote C–H bond activation by Iron(I) cations in the gas phase (D. Schröder and H. Schwarz), 123

Matrix isolation
Photochemistry of Os(η^6-arene) complexes in low-temperature matrices: an infrared spectroscopic study of C–H bond activation (S.-A. Brough, C. Hall, A. McCamley, R.N. Perutz, S. Stahl, U. Wecker and H. Werner), 33

Mercury
Formation of organometallic exciplexes of the type [Hg(η^2-arene)] in mercury photosensitized reactions of aromatic compounds (L.A. Fowley, J.C. Lee, Jr., R.H. Crabtree and P.E.M. Siegbahn), 57

Metal clusters
H/D exchange via reversible pyridine ortho-metallation, and competition between C–H oxidative addition and CO coordination in hydrido–carbonyl triangular rhenium clusters: a ^{1}H-NMR investigation. X-ray crystal structure of the anion $[Re_3(\mu\text{-}H)_2(CO)_{11}(Py)]^-$ (T. Beringhelli, L. Carlucci, G. D'Alfonso, G. Ciani and D.M. Proserpio), 15

Metallacycles
C–H bond activation in functionalized organic compounds with $Cp^*(PMe_3)IrMe(OTf)$: generation, structural characterization and metal-based rearrangement of the acetone activation product $Cp^*(PMe_3)Ir(\eta^3\text{-}CH_2C(OH)CH_2)^+OTf^-$ (B.A. Arndtsen and R.G. Bergman), 143

Metalloporphyrins
Reactions of C–H bonds in organic oxygenates with octaethylporphyrinato rhodium(II) and iridium(II) dimers (K.J. Del Rossi, X.-X. Zhang and B.B. Wayland), 47

Methane
Methane activation by tris(imido) complexes: the effect of metal, ligand and d orbital occupation (M.T. Benson, T.R. Cundari and E.W. Moody), 1

Ortho-metallation
H/D exchange via reversible pyridine ortho-metallation, and competition between C–H oxidative addition and CO coordination in hydrido–carbonyl triangular rhenium clusters: a ^{1}H-NMR investigation. X-ray crystal structure of the anion $[Re_3(\mu\text{-}H)_2(CO)_{11}(Py)]^-$ (T. Beringhelli, L. Carlucci, G. D'Alfonso, G. Ciani and D.M. Proserpio), 15

Osmium
Photochemistry of Os(η^6-arene) complexes in low-temperature matrices: an infrared spectroscopic study of C–H bond activation (S.-A. Brough, C. Hall, A. McCamley, R.N. Perutz, S. Stahl, U. Wecker and H. Werner), 33

Oxidation
Mechanistic aspects of the oxidative functionalization of ethane and ethanol by platinum(II) salts in aqueous medium. Role of platinum(II)–olefin and platinum(IV)–alkyl intermediates (A.C. Hutson, M. Lin, N. Basickes and A. Sen), 69

Oxidative addition
Ab initio molecular orbital study of oxidative addition of H_2 and CH_4 to the $RhCl(CO)(PH_3)_2$ complex (D.G. Musaev and K. Morokuma), 93

Phosphine
C–H bond activation of thiophenes at iridium: a lower energy process than C–S bond scission (C. Bianchini, M.V. Jiménez, A. Meli, S. Moneti and F. Vizza), 27

Photochemistry
Formation of organometallic exciplexes of the type [Hg(η^2-arene)] in mercury photosensitized reactions of aromatic compounds (L.A. Fowley, J.C. Lee, Jr., R.H. Crabtree and P.E.M. Siegbahn), 57
On the mechanism and regioselectivity of alkane photocarbonylation catalyzed by $Rh(PMe_3)_2(CO)Cl$ (G.P. Rosini, K. Zhu and A.S. Goldman), 115
Photochemistry of Os(η^6-arene) complexes in low-temperature matrices: an infrared spectroscopic study of C–H bond activation (S.-A. Brough, C. Hall, A. McCamley, R.N. Perutz, S. Stahl, U. Wecker and H. Werner), 33

Photophysical aspects of C–H bond activation in rhodium dicarbonyl complexes (A.A. Purwoko, D.P. Drolet and A.J. Lees), 107

Platinum
C–H activation by aqueous platinum complexes: A mechanistic study (G.A. Luinstra, L. Wang, S.S. Stahl, J.A. Labinger and J.E. Bercaw), 75

Platinum complex
Mechanistic aspects of the oxidative functionalization of ethane and ethanol by platinum(II) salts in aqueous medium. Role of platinum(II)–olefin and platinum(IV)–alkyl intermediates (A.C. Hutson, M. Lin, N. Basickes and A. Sen), 69

Pyridine
H/D exchange via reversible pyridine ortho-metallation, and competition between C–H oxidative addition and CO coordination in hydrido–carbonyl triangular rhenium clusters: a ^{1}H-NMR investigation. X-ray crystal structure of the anion $[Re_3(\mu\text{-}H)_2(CO)_{11}(Py)]^-$ (T. Beringhelli, L. Carlucci, G. D'Alfonso, G. Ciani and D.M. Proserpio), 15

Rhenium
H/D exchange via reversible pyridine ortho-metallation, and competition between C–H oxidative addition and CO coordination in hydrido–carbonyl triangular rhenium clusters: a ^{1}H-NMR investigation. X-ray crystal structure of the anion $[Re_3(\mu\text{-}H)_2(CO)_{11}(Py)]^-$ (T. Beringhelli, L. Carlucci, G. D'Alfonso, G. Ciani and D.M. Proserpio), 15

Rhodium
Ab initio molecular orbital study of oxidative addition of H_2 and CH_4 to the $RhCl(CO)(PH_3)_2$ complex (D.G. Musaev and K. Morokuma), 93
On the mechanism and regioselectivity of alkane photocarbonylation catalyzed by $Rh(PMe_3)_2(CO)Cl$ (G.P. Rosini, K. Zhu and A.S. Goldman), 115
Photophysical aspects of C–H bond activation in rhodium dicarbonyl complexes (A.A. Purwoko, D.P. Drolet and A.J. Lees), 107
Reactions of C–H bonds in organic oxygenates with octaethylporphyrinato rhodium(II) and iridium(II) dimers (K.J. Del Rossi, X.-X. Zhang and B.B. Wayland), 47

Ruthenium
Directing effect of functional groups in ruthenium-catalyzed addition of substituted acetophenones to an olefin (M. Sonoda, F. Kakiuchi, N. Chatani and S. Murai), 151

Thienyl bridges
Formation of 2-thienyl derivatives during the thermal activation of thiophene by $Tp^* Ir(C_2H_4)_2$ (M. Paneque, M.L. Poveda, L. Rey, S. Taboada, E. Carmona and C. Ruiz), 147

Thiolate
C–H bond activation of thiophenes at iridium: a lower energy process than C–S bond scission (C. Bianchini, M.V. Jiménez, A. Meli, S. Moneti and F. Vizza), 27

Thiophene
C–H bond activation of thiophenes at iridium: a lower energy process than C–S bond scission (C. Bianchini, M.V. Jiménez, A. Meli, S. Moneti and F. Vizza), 27

Thiophene activation
Formation of 2-thienyl derivatives during the thermal activation of thiophene by $Tp^* Ir(C_2H_4)_2$ (M. Paneque, M.L. Poveda, L. Rey, S. Taboada, E. Carmona and C. Ruiz), 147

Transition-metal ions
Ligand effects as probes for mechanistic aspects of remote C–H bond activation by Iron(I) cations in the gas phase (D. Schröder and H. Schwarz), 123

Transition metals
Methane activation by tris(imido) complexes: the effect of metal, ligand and d orbital occupation (M.T. Benson, T.R. Cundari and E.W. Moody), 1

Vinyl
Photochemistry of $Os(\eta^6\text{-arene})$ complexes in low-temperature matrices: an infrared spectroscopic study of C–H bond activation (S.-A. Brough, C. Hall, A. McCamley, R.N. Perutz, S. Stahl, U. Wecker and H. Werner), 33